

# AT A GLANCE:

Reflectix® Duct Insulation may be installed by wrapping rectangular or round ductwork in HVAC applications

Heating costs can be greatly reduced

Eliminate unnecessary heat loss/gain and air leakage

Helps to ensure consistent temperatures

### **WAREHOUSE** LOCATIONS:

Markleville, IN Phoenix, AZ Greenville, SC Chicopee, MA



REFLECTIVE PRODUCTS A Division of Balcan Innovations, Inc. #1 School St. (POB 108) Markleville, IN 46056 (800) 879-3645

E: customerservice@ reflectixinc.com www.reflectixinc.com



## **Features**

BENEFITS · Non-toxic / non-carcinogenic

PRODUCT DESCRIPTION

· Fiber-free

· Lowers heating and cooling costs year-round

Insulation · ASTM E84 · Class A / Class 1 · ASTM C411 Passed

- · Reflects 96% radiant heat
- · Costs less to install

· Lightweight and clean

installation make Reflectix® the first choice when selecting insulation for round or rectangular ductwork in HVAC sys-

Reflectix® Duct Insulation consists of two layers of highly reflective film (96% reflectivity) that are bonded to two

tough layers of polyethylene. Two inner layers of insulating bubbles resist conductive heat flow while a center layer

of polyethylene gives Reflectix® high reliability and strength. The product has a tape running the length of the roll

for easy identification by code officials. The tape identifies the manufacturer and ASTM Testing: Reflectix® Duct

tems. The product provides an R-5.6 when installed with a 0.375" air aap between the duct and the insulation.

- · Does not promote nesting of insects or rodents
- · Resists growth of fungi, mold and mildew
- · Does not require protective clothing or respirators to install
- Not affected by moisture or humidity
- · ISO 9001:2015 Certified Manufacturing Location

#### REFLECTIX® DUCT INSULATION PART NUMBERS AND STOCK SIZES

_					
	HVBP12050 (	12"x 50')	HVBP12100	(12"x 100') ·	· HVBP12125 (12"x 125")
•	HVBP16050 (	16"x 50')	HVBP16100	(16"x 100') ·	HVBP16125 (16"x 125")
•	HVBP24050 (	24"x 50')	HVBP24100	(24"x 100') ·	· HVBP24125 (24"x 125")
•	HVBP36050 (	36"x 50')	HVBP36100	(36"x 100') ·	· HVBP36125 (36"x 125")
•	HVBP48050 (	48"x 50')	HVBP48100	(48"x 100') ·	· HVBP48125 (48"x 125")
	HVBP60050 (	60"x 50')	HVBP60100	(60"x 100') ·	HVBP60125 (60"x 125"

#### **APPLICATIONS**

Rectangular and Round return and supply ductwork in HVAC systems















IMPORTED COMPONENTS











#### DOUBLE REFLECTIVE TECHNICAL DATA

Temperature Range:	-60° to 180° F		
Nominal Thickness:	5/16 inch (.312)		
Weight:	0.771 oz./sq. ft.		
Flame Spread Index (ASTM E 84):	Less than 25		
Smoke Developed Index (ASTM E 84):	Less than 50		
Mounting Method (ASTM E 2599)	Mounting Method (ASTM E 2599)		
Fire Rating:	Class A/Class 1		
Linear Shrinkage:	None		
Reflectance (IR):	96%		
Water Vapor Transmission (ASTM E 96)	: 0.02		
Puncture Resistance:	60 lb./in.		
Mold and Mildew:	No Growth		
Emittance:	0.04		
Tensile Strength:	3.7 N/mm		
Pliability:	No Cracking		
Hot Surface Performance:	Passed (250° F)		

Note: Not for use in direct contact on surface temperatures that are  $180^{\circ}$  F or greater.

#### TESTING & CERTIFICATIONS

- Thermal Performance ASTM C335
- Hot Surface Performance ASTM C411
- Flame Spread and Smoke Density ASTM E84
- Fungus Resistance Mil-Std 810B Method 508
- · Pliability Test ASTM C1224
- Sound Absorption Test ASTM C423 and ASTM E795
- Sound Transmission Loss ASTM E90 and ASTM E413
- · Water Vapor Transmission ASTM E96
- Tensile Strength ASTM D751
- · Bleeding and Delamination ASTM C1668
- Intertek: Surface Burning Characteristics of Building Materials ASTM E84-08 (Taped Joint Detail) Test Report # 3166908SAT-012
- Intertek: Surface Burning Characteristics of Building Materials ASTM E84-08 (Unslit) Test Report # 3166908SAT-011
- R&D Services: Resistance to the Growth of Fungi ASTM C1338-00 Test Report # RD072713FR
- · State of California
- · State of California Licensed Insulation Manufacturer

- State of Minnesota: Filed with Minnesota Insulation Standards Program
- · R&D Services Emittance Testing ASTM C1371
- R&D Services: Physical Properties Sheet Width, Length, Pliability,
  Water Vapor Permanence and Aged Water Vapor Permanence
- R&D Services: Water Vapor Transmission Test ASTM-E96 (Dessicant Method)

# MANUFACTURER'S SUGGESTED INSTALLATION INSTRUCTIONS

NOTE: Installation instructions and illustrated drawings are recommendations only, while proper local construction methods are the responsibility of the installer.

### SPACER WRAPPED IN A CANDY CANE FASHION <u>SPACER</u>: HVSPW02025 - REFLECTIX® SPIRAL PIPE WRAP 2"x 25'

- · Refer to the two diagrams above.
- · Make sure all sheet metal joints, seams and penetrations are sealed.
- · Wrap and secure spacer material to the duct in a candy cane fashion. Proceed down the duct in one direction with a repeat of the wrap at 12" intervals. Use a UL181 Tape with Acrylic Adhesive to fasten the spacer in place.
- · Verify the circumference of the duct with the spacer strip in place.
- · Cut the Reflectix® product to this length plus 1".
- · Wrap the product around the duct and securely tape the linear and circumference seams (overlapping 1"- 2") with a UL181 Tape with Acrylic Adhesive (goal is an air-tight, snug seam seal).
- Do not leave any exposed duct or space where air can enter between the duct and the Reflectix®.

#### PLEASE NOTE REGARDING HANGERS:

<u>Strap Hanger</u>: Wrap Reflectix<sup>®</sup> with the seam at the hanger. Tape seam tightly around hanger.

<u>Saddle Hanger</u>: Make sure that there is a spacer below the hanger between the insulation and the duct to prevent the insulation from touching the duct.

NOTE: Not to be used as duct liner.

N18 Rev 022025